




莫顿健康风·商用卫浴整体服务商



莫顿健康风·商用卫浴整体服务商

HAND DRYER
全自动干手器

HAIR DRYER
干肤器

AUTO SOAP DISPENSER
感应皂液器

AUTOMATIC FAUCET
感应龙头

TISSUE BOX
纸巾盒

STERILIZER
手消毒器

BABY CHANGING STATIONS
婴儿护理台

» Enterprise introduction

莫顿作为商用卫浴整体服务商，创建专业的健康卫浴生产基地以来，秉承莫顿的严谨作风，凭着新颖的莫顿设计理念，先进的生产设备，严格的质量要求，对人与科技的微妙结合，注入了非凡的精力，为消费者带来国际品质的产品及服务，莫顿公司不断创新，为创造健康、洁净、舒适生活空间而努力。

今天在世界各地及中国各大城市、许多大酒店、高档住宅区、写字楼都采用了莫顿健康卫浴产品，在行业内，莫顿产品获得了多项专利和认证，莫顿在追求莫顿现代设计和领先世界的人性化科技设计理念，为消费者带来环境保护要求同时，让每一位使用莫顿产品的人享受高科技带来的健康生活和乐趣。莫顿公司以创造人类健康低碳环保的卫浴生活为使命。

Modun, as a commercial bathroom supplier, created from boarding Chinese health professional sanitary ware production base, adhering to strict style, with new design, advanced production equipment, strict quality requirements of the subtle combination of people and technology, injection extraordinary effort to bring international quality consumer products and services, MODUN innovative companies to create a healthy, clean, comfortable living space and effort.

Today, around the world and major cities in China, many large hotels, luxury residential, office buildings have adopted the MODUN healthy sanitary products in the industry, Morton received a number of patents and product certification, MODUN in pursuit of modern design Design Theory and humane world' s leading science and technology, environmental protection requirements for consumers at the same time, so that every person to enjoy the use of high-tech products MODUN bring healthy living and fun. MODUN Company to create a low-carbon environmental protection of human health bath life for the mission.

Мортон возникла в Германии, создал на борт китайский здравоохранения профессиональный производства сантехники базу, придерживаясь строгой немецком стиле, с новой немецкой дизайн, современное производственное оборудование, строгие требования к качеству тонкого сочетания людей и техники, литые огромные усилия, чтобы довести международных качества потребительских товаров и услуг, Мортон инновационных компаний, чтобы создать здоровые, чистые, удобное жизненное пространство и усилий. Сегодня во всем мире и крупных городов в Китае, многие крупные гостиницы, элитный жилой, офисных зданий приняли Мортон здоровых гигиенических изделий в отрасли, Мортон получил ряд патентов и сертификации продукции, Мортон Германию в погоне за современным дизайном Теория Дизайн и ведущих науки и техники гуманных в мире, требования по охране окружающей среды для потребителей в то же время, чтобы каждый человек, чтобы насладиться использование высокотехнологичной продукции Мортон принести здоровый образ жизни и весело провести время. Мортон Компания создать низкоуглеродистой охраны окружающей среды человеческой жизни здоровья ванны для миссии.



» 莫顿健康风·商用卫浴整体服务商





M-6666



M-6666G



M-6666R



M-6666D

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W / 2000W	5-7秒	>100m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料 (Material)	证书 (Certificate)
Ip×4	W290×D220×H685MM	ABS	



M-5555



M-5555W



M-5555G



M-5555 Black

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料 (Material)	证书 (Certificate)
Ip×4	W300×D235×H200MM	304stainless steel	



M-6667



M-6667G



M-6667R



M-6667D

电压(Voltage)	额定功率 (Rated power)	干手时间 (Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W / 2000W	5-7秒	>100m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料 (Material)	证书 (Certificate)
Ip×2	W290×D220×H685MM	ABS	



M-5556/5556G



M-5556W



M-5556 Black



M-5556B

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料 (Material)	证书 (Certificate)
Ip×1	W295×D171H×325MM	304stainless steel	



M-6668



M-6669



M-6669G



M-5556H
M-9998H

电压(Voltage)	额定功率(Rated power)	气温 (Air temperature)	风速 (Air speed)
220V (50Hz-60Hz)	2000W	65±15℃	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1 / Ip×2	W350×D250×H520MM W350×D180×H600MM	ABS / 304stainless steel	CE ROHS CCC



M-9998



M-9998G



M-9998W



M-9998Black

电压(Voltage)	额定功率 (Rated power)	干手时间 (Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料 (Material)	证书 (Certificate)
Ip×2	W295×D175×H325MM	304stainless steel	MET CE ROHS CCC



M-H7-W



M-H7-G



M-H7-D



M-H7-B

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W113xD220xH385MM	ABS	MET CE ROHS CCC



M-9999



M-9999W



M-9999R




M-9999B

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W295×D171×H325MM	304stainless steel	MET CE ROHS CCC




M-798S-B



M-798S



M-798-W



M-798

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	2300W / 2500W	8-10秒	>23m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W258×D232×H200MM	304stainless steel / metal wire drawing	CE ROHS CCC



M-798ABS-W



M-798ABS-G



M-798B-W2



M-798B

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	2300W / 2500w	8-10秒	>23m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W258×D232×H200MM	ABS / 304stainless steel	CE ROHS CCC



M-7777



M-7777W



M-7777G



M-7777B



M-7777H

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×2	W270×D182×H210MM	304stainless steel	CE ROHS CCC



M-2008C



M-2008C-G



M-2008D



M-2008D-G



M-2008C1



M-2008C-G1



M-2008D1



M-2008D-G1

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W248×D190×H520MM / W248×D165×H250MM	ABS	CE ROHS CCC



M-2008F

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W248×D165×H470MM	ABS	MET CE ROHS CCC



M-2008E-A



M-2008E-B



M-2008E



M-2008E-W



M-2008E-A1



M-2008E-B1



M-2008E-1



M-2008E-W1

电压(Voltage)	额定功率(Rated power)	干手时间(Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1200W	5-7秒	>95m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料(Material)	证书 (Certificate)
Ip×1	W248×D190×H520MM / W248×D165×H250MM	ABS	CE ROHS CCC



M-699



M-689



M-688



电压(Voltage)	额定功率 (Rated power)	干手时间 (Dry hands time)	风速 (Air speed)
220V (50Hz-60Hz)	1800/2000W	12秒	>18m/s
防水(Water splash proof)	尺寸 (Dimensions)	材料 (Material)	证书 (Certificate)
Ip×2	W240×D230×H240MM	ABS	MET CE ROHS CCC



M-688B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1600W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W240×D230×H240MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-588

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1500W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W265×D155×H200MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-888

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1800W / 2000W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W250×D140×H325MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-165S

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1650W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W285×D220×H147MM
材料 (Material)	304stainless steel
证书 (Certificate)	CE ROHS CCC



M-298B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1500W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W265×D125×H205MM
材料 (Material)	metal wire drawing
证书 (Certificate)	CE ROHS CCC



M-588B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1500W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W265×D155×H200MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-2008B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1800W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W250×D155×H285MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-165

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1650W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W285×D220×H147MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-298

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1500W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W265×D125×H205MM
材料 (Material)	metal
证书 (Certificate)	CE ROHS CCC



M-788

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W235×D180×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-2008

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1800W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W290×D158×H300MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-230S

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1800W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W265×D245×H207MM
材料 (Material)	304stainless steel
证书 (Certificate)	CE ROHS CCC



M-230

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1800W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W265×D245×H207MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1000

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1000W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D100×H170MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-188

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D90×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-288B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D90×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-120

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1000W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W182×D120×H267MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-798H

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	2300W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W266×D235×H148MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-288

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D90×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-288C

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D90×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-988

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W145×D142×H218MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-165B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1650W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>18m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W266×D235×H148MM
材料 (Material)	304stainless steel
证书 (Certificate)	CE ROHS CCC



M-188B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D90×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-288D

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15℃
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W195×D90×H260MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-388

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W253×D85×H500MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288N

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W166×D88×H235MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W / 1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W15×D100×H150MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288C

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W / 1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W15×D100×H150MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC




M-388B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W253×D85×H500MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288L

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W32×D38×H52MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288A

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W / 1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W350×D180×H95MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288D

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W / 1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W15×D100×H160MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288H

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	300-850W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W105×D190×H350MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288L-1

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W32×D38×H51MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288B

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W / 1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W350×D180×H95MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC



M-1288F-G M-1288F

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	1100W / 1200W
气温 (Air temperature)	65±15°C
风速 (Air speed)	>15m/s
防水 (Water splash proof)	Ip×1
尺寸 (Dimensions)	W15×D100×H165MM
材料 (Material)	ABS
证书 (Certificate)	CE ROHS CCC

净菌者

自动喷雾式手消毒器

智能感应·定量喷淋·健康安全·无接触



M-X3

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	>20W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	2000ml
证书 (Certificate)	CE ROHS CCC



M-X3-G

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	>20W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	2000ml
证书 (Certificate)	CE ROHS CCC



M-X1

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	>20W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	1500ml
证书 (Certificate)	CE ROHS CCC



M-X2

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	>20W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	1500ml
证书 (Certificate)	CE ROHS CCC



M-X4

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	>20W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	2000ml
证书 (Certificate)	CE ROHS CCC



M-X5

电压 (Voltage)	DC 6V
额定功率 (Rated power)	>10W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	1000ml
证书 (Certificate)	CE ROHS CCC



M-X11-G

电压 (Voltage)	DC 6V
额定功率 (Rated power)	>10W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	1000ml
证书 (Certificate)	CE ROHS CCC



M-X11

电压 (Voltage)	220V (50Hz-60Hz)
额定功率 (Rated power)	>20W
防水 (Water splash proof)	Ip×1
最大容量 (Maximum capacity)	1500ml
证书 (Certificate)	CE ROHS CCC



名称 (Name)	婴儿护理台
型号 (Model)	M-B1
承重范围 (Bearing)	20Kg
材质 (Material)	PE
尺寸 (Dimensions)	W65×D54×H48CM
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿安全座椅
型号 (Model)	M-B3
承重范围 (Bearing)	20Kg
材质 (Material)	PE
尺寸 (Dimensions)	W31×D34.5×H51CM
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿护理座椅
型号 (Model)	M-B5
承重范围 (Bearing)	30Kg
材质 (Material)	HDPE
尺寸 (Dimensions)	H130xD290xH1145MM
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿护理座椅
型号 (Model)	M-B5-2
承重范围 (Bearing)	30Kg
材质 (Material)	HDPE
尺寸 (Dimensions)	H130xD290xH665MM
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿护理台
型号 (Model)	M-B2
承重范围 (Bearing)	20Kg
材质 (Material)	PE
尺寸 (Dimensions)	W82×D54×H48CM
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿安全座椅
型号 (Model)	M-B2-3
承重范围 (Bearing)	20Kg
材质 (Material)	PE
尺寸 (Dimensions)	
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿护理台
型号 (Model)	M-B2-2
承重范围 (Bearing)	20Kg
材质 (Material)	PE
尺寸 (Dimensions)	
证书 (Certificate)	CE ROHS



名称 (Name)	婴儿安全座椅
型号 (Model)	M-B3-2
承重范围 (Bearing)	20Kg
材质 (Material)	PE
尺寸 (Dimensions)	W31×D34.5×H51CM
证书 (Certificate)	CE ROHS



Baby
Changing
Stations

AUTOMATIC SOAP DISPENSER



M-1388



M-1388H



M-X10



M-9101



M-9101C



M-9102



M-9020C



M-9020

STAINLESS STEEL SOAP DISPENSER




□ 500ml
□ 800ml
□ 1000ml

M-1618



□ 500ml
□ 800ml
□ 1000ml

M-1618B



SUS304

M-1618C




SUS304

M-1618D



SUS304

M-1618D-1



SUS304

M-1618N



M-9020-2



M-9020C-2



M-9080C



M-9080



M-8007



M-AH58-W



M-AH58-R



M-AH58-G



M-AH59-B



M-AH59-W



M-50W



M-50W-2



M-50TH-2



M-50C-2



M-9050C



M-9050C-2



M-6101



M-6102



M-6103



M-6101G



M-6102G



M-8009W



M-8009W-2



M-8009Y-2



M-8009G-2



M-8009R-2



M-8009S-2



M-6101Y



M-6102Y



M-1628



M-1628K



M-1628B

SOAP DISPENSER
皂液器



M-9050



M-9050-2



M-1658



M-AH33-W

泡沫型



M-AH32

泡沫型



M-5822H-W



M-5822H-D



M-5822H-G



M-68-W



M-68-G



M-68



M-68-B



M-68-D



M-5823B-B



M-5823B-G



M-5823B-W



M-6201-B



M-6201



M-522B



M-5922-W



M-5922



M-5922-B



M-5823C



M-5821



M-5823



M-5822



M-5822C



M-5822B




M-5822B-2



M-5822B-2H



M-5822ABS-G



M-5822ABS-W



M-5822ABS-B



M-5826ABS-W



M-5826ABS-G



M-5821ABS



M-5821ABS



M-5823ABS-G



M-5823ABS-W



M-5825-W



M-19003



M-19008



M-19013



M-19018



M-19022



M-5825-G



M-5827-G



M-5828-B



M-5829



M-5829B



M-19043



M-19011



M-19020



M-19020B



M-19066



M-522



M-522D



M-5830



M-5830B

莫顿 无障碍扶手
MODUN
FREE-OBSTACLE HANDRAILS



夜光扶手专利号: ZL 2016 2 1402857.7



MD-9910



MD-9908-3



MD-9970-3



MD-9967-1



MD-9907-3



MD-9903-2



MD-9903-3



MD-9949



MD-9904-3



MD-9966-3



MD-9906-3



MD-9906



MD-9906-2



MD-9905



MD-9923



MD-9910



MD-9910-3



MD-9911



MD-9901-2-3



MD-9949-3



MD-9901-3



MD-9914



MD-9965-3



MD-9982



MD-9900-3



MD-9950-3



MD-9951-3



MD-9969-3



MD-9973



MD-9972



MD-9908-3



MD-9917



MD-9987



MD-9989



MD-9978



MD-9986-3



MD-9968-3



MD-9901-3





M-2588



M-2918



M-2788



M-2799



M-10



M-011



M-012



M-005



M-2888



M-2888B



M-2889



M-6088



M-001



M-002



M-HS0150-W



M-HS0150-B



M-6688



M-6628



小便斗组件

蹲便冲洗器 >>>



M-2969



M-2979



M-2989

Certificate:

